

CONFIDENTIAL



UTHM
Universiti Tun Hussein Onn Malaysia

UNIVERSITI TUN HUSSEIN ONN MALAYSIA

**FINAL EXAMINATION
SEMESTER II
SESSION 2018/2019**

COURSE NAME : STATISTICS FOR MANAGEMENT
COURSE CODE : BPA 12303
PROGRAMME CODE : BPB / BPC / BPP
EXAMINATION DATE : JUNE / JULY 2019
DURATION : 3 HOURS
INSTRUCTION : ANSWER ALL QUESTIONS.

THIS QUESTION PAPER CONSISTS OF TWELVE (12) PAGES

TERBUKA

CONFIDENTIAL

- Q1** (a) When a customer places an order with Jaya's Online Office Supplies, a computerized accounting information system (AIS) automatically checks to see if the customer has exceeded his or her credit limit. Past record indicated that the probability of customers exceeding their credit limit is 0.35. Suppose that, on a given day, 20 customers place orders. Assume that X is the number of customers exceeding their credit limits with $X \sim B(20, 0.35)$.
- (i) Compute the mean and standard deviation of the number of customers exceeding their credit limits. (5 marks)
- (ii) Calculate the probability that no customers exceed their credit limits. (3 marks)
- (b) Evidence shows that the automobile accident during a given year is binomially distributed with the probability of 0.01. A particular corporation employs 100 full time traveling sales reps.
- Calculate the probability that exactly two of the sales reps will be involved in a serious automobile accident during the coming year by using Poisson approximation. (5 marks)
- (c) Sixty two percent of 12th graders attend school in a particular urban school district. A sample of 500 12th grade children are selected.
- Determine the probability that at least 290 are actually enrolled in school by using a normal approximation (7 marks)
- Q2** (a) Casual workers in a certain industry are paid on average RM5.10 per hour which is normally distributed with standard deviation of RM2.20. A sample of 35 casual workers from the industry was selected to be respondents for the underpaid issue questionnaires.
- (i) Determine the probability that the average payment for those casual workers is at least RM6.00 per hour. (3 marks)
- (ii) Determine the probability that the average payment for those casual workers is greater than RM4.80 per hour. (3 marks)

TERBUKA

- (b) The mean and standard deviation of the tax value of all vehicles registered in a certain state are $\mu = \text{RM}13,525$ and $\sigma = \text{RM}4,180$. Suppose random samples of size 100 are drawn from the population of vehicles.

Determine the mean and standard deviation of the sample mean.

(5 marks)

- (c) The length of computer desk is approximately normally distributed. There are two factories produce that kind of desk. The data are shown in **Table Q2**.

Table Q2: Two factories that produce computer desk

	Factory A	Factory B
Sample mean	60.5	58.3
Sample standard deviation	3	4
Sample size	35	40

Calculate the probability that the mean sample for the length of computer desk produced by Factory B is greater than mean sample for the length of computer desk produced by Factory A.

(9 marks)

- Q3** An officer wants to study the relationship between biomass productions of orange and cumulative intercepted solar radiation (Wh/m^2) over a period of six-week. Biomass production is the mean dry weight in grams of independent samples of four plants which is collected at Alpha Plantation. The data of this study are shown in the **Table Q3**.

Table Q3: Solar Radiation and Plant Biomass

Solar Radiation (X)	Plant Biomass (Y)
28.8	15.8
48.5	48.2
68.3	71.1
90.5	95.7
120.2	150.4
170.5	210.5

- (a) Sketch a scatter plot for the data in **Table Q3**.
(4 marks)
- (b) Find the estimated regression line by using the least square method.
(6 marks)
- (c) Discuss the result in **Q3 (b)**.
(2 marks)

TERBUKA

- (d) Predict the plant biomass for 300 Wh / m^2 solar radiations. (2 marks)
- (e) Compute the coefficient of correlation, r and coefficient of determination, r^2 . (4 marks)
- (f) Interpret these result in **Q3 (e)**. (2 marks)

- Q4** (a) A motorist recorded the time, x minutes taken for a journey from point A to point B. He repeat this process for 35 times. The summary of the measurement is as follows: $\sum x = 189$ and $\sum(x - \bar{x})^2 = 102$.

Construct a 97% confidence interval estimate for the average journey time. (8 marks)

- (b) The measurements of the heat-producing capacity (in millions of calories per ton) of coal specimens from two mines is shown in **Table Q4**. Assume that the populations are normally distributed, with the variances of population are unknown but equal.

Table Q4: Heat-producing capacity from two mines

Mine 1 (Kilojoules)	Mine 2 (Kilojoules)
8400	7510
8230	7690
8380	7720
7860	8070
7930	7660

Determine whether there is sufficient evidence to conclude that there is a difference in the mean of heat-producing capacity from the two mines by using 0.05 significance level. (12 marks)

TERBUKA

- Q5** An experiment was performed to determine whether four specific firing temperatures affect the density of a certain type of brick. **Table Q5** shows the data of firing temperatures and density of bricks.

Table Q5: Density of bricks

Temperature (°C)			
A	B	C	D
21.8	21.7	21.9	21.9
21.9	21.4	21.8	21.7
21.7	21.5	21.8	21.8
21.6	21.4	21.6	21.4
21.7	21.5	21.5	21.9

Determine whether there is evidence of a difference in the density of bricks of the four temperature at the 0.05 level of significance.

(20 marks)

-END OF QUESTIONS-**TERBUKA**

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2018/2019
 COURSE NAME : STATISTICS FOR MANAGEMENT

PROGRAMME CODE: BPB / BPC / BPP
 COURSE CODE : BPA 12303

Special Probability Distributions**Binomial:**

$$P(X = x) = {}^nC_x \cdot p^x \cdot q^{n-x} \quad \text{Mean, } \mu = np \quad \text{Variance, } \sigma^2 = npq$$

Poisson:

$$P(X = x) = \frac{e^{-\mu} \cdot \mu^x}{x!}$$

Normal:

$$P(X > k) = P\left(Z > \frac{k - \mu}{\sigma}\right)$$

Sampling Distribution**Z – value for single mean:**

$$Z = \frac{\bar{x} - \mu}{\sigma / \sqrt{n}}$$

Probability related to single Mean:

$$P(\bar{x} > r) = P\left(Z > \frac{r - \mu}{\sigma / \sqrt{n}}\right)$$

Let,

$$\mu_{\bar{x}_1 - \bar{x}_2} = \mu_1 - \mu_2 \quad \text{and} \quad \sigma_{\bar{x}_1 - \bar{x}_2} = \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}$$

Z – value for Two Mean:

$$Z = \frac{(\bar{x}_1 - \bar{x}_2) - \mu_{\bar{x}_1 - \bar{x}_2}}{\sigma_{\bar{x}_1 - \bar{x}_2}}$$

Probability related to two Mean:

$$P(\bar{x}_1 - \bar{x}_2 > r) = P\left(Z > \frac{r - \mu_{\bar{x}_1 - \bar{x}_2}}{\sigma_{\bar{x}_1 - \bar{x}_2}}\right)$$

Estimation

$$\text{Variance, } s^2 = \frac{\sum(x - \bar{x})^2}{n-1}$$

TERBUKA

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2018/2019
 COURSE NAME : STATISTICS FOR
 MANAGEMENT

PROGRAMME CODE: BPB / BPC / BPP
 COURSE CODE : BPA 12303

Confidence interval for single mean:

Large sample: $n \geq 30 \Rightarrow \sigma$ is known: $(\bar{x} - z_{\alpha/2}(\sigma/\sqrt{n}) < \mu < \bar{x} + z_{\alpha/2}(\sigma/\sqrt{n}))$
 $\Rightarrow \sigma$ is unknown: $(\bar{x} - z_{\alpha/2}(s/\sqrt{n}) < \mu < \bar{x} + z_{\alpha/2}(s/\sqrt{n}))$

Small sample: $n < 30 \Rightarrow \sigma$ is unknown: $(\bar{x} - t_{\alpha/2}(s/\sqrt{n}) < \mu < \bar{x} + t_{\alpha/2}(s/\sqrt{n}))$

Hypothesis TestingTesting of hypothesis on a difference between two means

Variances	Samples size	Statistical test
Unknown (Equal)	$n_1, n_2 < 30$	$T_{Test} = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{S_p \cdot \sqrt{\frac{1}{n_1} + \frac{1}{n_2}}}$ $v = n_1 + n_2 - 2$ <p>where</p> $S_p = \sqrt{\frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2}}$
Unknown (Not equal)	$n_1 = n_2 < 30$	$T_{Test} = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{1}{n}(s_1^2 + s_2^2)}}$ $v = 2(n - 1)$
Unknown (Not equal)	$n_1, n_2 > 30$	$T_{Test} = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}$ $v = \frac{\left(\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}\right)^2}{\left(\frac{s_1^2}{n_1}\right)^2 + \left(\frac{s_2^2}{n_2}\right)^2}$ $v = \frac{n_1 - 1}{n_1} + \frac{n_2 - 1}{n_2}$

TERBUKA

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2018/2019
 COURSE NAME : STATISTICS FOR MANAGEMENT
 PROGRAMME CODE: BPB / BPC / BPP
 COURSE CODE : BPA 12303

Simple Linear Regressions

Let

$$S_{xy} = \sum_{i=1}^n x_i y_i - \frac{1}{n} \left(\sum_{i=1}^n x_i \right) \left(\sum_{i=1}^n y_i \right), \quad S_{xx} = \sum_{i=1}^n x_i^2 - \frac{1}{n} \left(\sum_{i=1}^n x_i \right)^2 \text{ and } S_{yy} = \sum_{i=1}^n y_i^2 - \frac{1}{n} \left(\sum_{i=1}^n y_i \right)^2$$

Simple linear regression model

$$\hat{y} = \hat{\beta}_0 + \hat{\beta}_1 x$$

where

$$\hat{\beta}_1 = \frac{S_{xy}}{S_{xx}}$$

$$\hat{\beta}_0 = \bar{y} - \hat{\beta}_1 \bar{x}$$

Coefficient of Determination

$$r^2 = \frac{(S_{xy})^2}{S_{xx} \cdot S_{yy}}$$

Coefficient of Pearson Correlation

$$r = \frac{S_{xy}}{\sqrt{S_{xx} \cdot S_{yy}}}$$

Analysis of VarianceMean square for treatment (between)

$$MS_B = \frac{\sum n_i (\bar{x}_i - \bar{x}_{GM})^2}{k-1}$$

Mean square for error (within)

$$MS_W = \frac{\sum (n_i - 1) s_i^2}{N - k}$$

F test value

$$F = \frac{MS_B}{MS_W}$$

CONFIDENTIAL

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2018/2019
 COURSE NAME : STATISTICS FOR MANAGEMENT

PROGRAMME CODE: BPB / BPC / BPP
 COURSE CODE : BPA 12303

The unit Normal table


*Column A lists z-score values. A vertical line drawn through a normal distribution at a z-score location divides the distribution into two sections.

Column B identifies the proportion in the larger section, called the *body*.

Column C identifies the proportion in the smaller section, called the *tail*.

Column D identifies the proportion between the mean and the z-score.

Note: Because the normal distribution is symmetrical, the proportions for negative z-scores are the same as those for positive z-scores.



(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z	(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z
0.00	.5000	.5000	.0000	0.25	.5987	.4013	.0987
0.01	.5040	.4960	.0040	0.26	.6026	.3974	.1026
0.02	.5080	.4920	.0080	0.27	.6064	.3936	.1064
0.03	.5120	.4880	.0120	0.28	.6103	.3897	.1103
0.04	.5160	.4840	.0160	0.29	.6141	.3859	.1141
0.05	.5199	.4801	.0199	0.30	.6179	.3821	.1179
0.06	.5239	.4761	.0239	0.31	.6217	.3783	.1217
0.07	.5279	.4721	.0279	0.32	.6255	.3745	.1255
0.08	.5319	.4681	.0319	0.33	.6293	.3707	.1293
0.09	.5359	.4641	.0359	0.34	.6331	.3669	.1331
0.10	.5398	.4602	.0398	0.35	.6368	.3632	.1368
0.11	.5438	.4562	.0438	0.36	.6406	.3594	.1406
0.12	.5478	.4522	.0478	0.37	.6443	.3557	.1443
0.13	.5517	.4483	.0517	0.38	.6480	.3520	.1480
0.14	.5557	.4443	.0557	0.39	.6517	.3483	.1517
0.15	.5596	.4404	.0596	0.40	.6554	.3446	.1554
0.16	.5636	.4364	.0636	0.41	.6591	.3409	.1591
0.17	.5675	.4325	.0675	0.42	.6628	.3372	.1628
0.18	.5714	.4286	.0714	0.43	.6664	.3336	.1664
0.19	.5753	.4247	.0753	0.44	.6700	.3300	.1700
0.20	.5793	.4207	.0793	0.45	.6736	.3264	.1736
0.21	.5832	.4168	.0832	0.46	.6772	.3228	.1772
0.22	.5871	.4129	.0871	0.47	.6808	.3192	.1808
0.23	.5910	.4090	.0910	0.48	.6844	.3156	.1844
0.24	.5948	.4052	.0948	0.49	.6879	.3121	.1879

TERBUKA

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2018/2019
 COURSE NAME : STATISTICS FOR MANAGEMENT

PROGRAMME CODE: BPB / BPC / BPP
 COURSE CODE : BPA 12303

(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z	(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z
0.50	.6915	.3085	.1915	1.00	.8413	.1587	.3413
0.51	.6950	.3050	.1950	1.01	.8438	.1562	.3438
0.52	.6985	.3015	.1985	1.02	.8461	.1539	.3461
0.53	.7019	.2981	.2019	1.03	.8485	.1515	.3485
0.54	.7054	.2946	.2054	1.04	.8508	.1492	.3508
0.55	.7088	.2912	.2088	1.05	.8531	.1469	.3531
0.56	.7123	.2877	.2123	1.06	.8554	.1446	.3554
0.57	.7157	.2843	.2157	1.07	.8577	.1423	.3577
0.58	.7190	.2810	.2190	1.08	.8599	.1401	.3599
0.59	.7224	.2776	.2224	1.09	.8621	.1379	.3621
0.60	.7257	.2743	.2257	1.10	.8643	.1357	.3643
0.61	.7291	.2709	.2291	1.11	.8665	.1335	.3665
0.62	.7324	.2676	.2324	1.12	.8686	.1314	.3686
0.63	.7357	.2643	.2357	1.13	.8708	.1292	.3708
0.64	.7389	.2611	.2389	1.14	.8729	.1271	.3729
0.65	.7422	.2578	.2422	1.15	.8749	.1251	.3749
0.66	.7454	.2546	.2454	1.16	.8770	.1230	.3770
0.67	.7486	.2514	.2486	1.17	.8790	.1210	.3790
0.68	.7517	.2483	.2517	1.18	.8810	.1190	.3810
0.69	.7549	.2451	.2549	1.19	.8830	.1170	.3830
0.70	.7580	.2420	.2580	1.20	.8849	.1151	.3849
0.71	.7611	.2389	.2611	1.21	.8869	.1131	.3869
0.72	.7642	.2358	.2642	1.22	.8888	.1112	.3888
0.73	.7673	.2327	.2673	1.23	.8907	.1093	.3907
0.74	.7704	.2296	.2704	1.24	.8925	.1075	.3925
0.75	.7734	.2266	.2734	1.25	.8944	.1056	.3944
0.76	.7764	.2236	.2764	1.26	.8962	.1038	.3962
0.77	.7794	.2206	.2794	1.27	.8980	.1020	.3980
0.78	.7823	.2177	.2823	1.28	.8997	.1003	.3997
0.79	.7852	.2148	.2852	1.29	.9015	.0985	.4015
0.80	.7881	.2119	.2881	1.30	.9032	.0968	.4032
0.81	.7910	.2090	.2910	1.31	.9049	.0951	.4049
0.82	.7939	.2061	.2939	1.32	.9066	.0934	.4066
0.83	.7967	.2033	.2967	1.33	.9082	.0918	.4082
0.84	.7995	.2005	.2995	1.34	.9099	.0901	.4099
0.85	.8023	.1977	.3023	1.35	.9115	.0885	.4115
0.86	.8051	.1949	.3051	1.36	.9131	.0869	.4131
0.87	.8078	.1922	.3078	1.37	.9147	.0853	.4147
0.88	.8106	.1894	.3106	1.38	.9162	.0838	.4162
0.89	.8133	.1867	.3133	1.39	.9177	.0823	.4177
0.90	.8159	.1841	.3159	1.40	.9192	.0808	.4192
0.91	.8186	.1814	.3186	1.41	.9207	.0793	.4207
0.92	.8212	.1788	.3212	1.42	.9222	.0778	.4222
0.93	.8238	.1762	.3238	1.43	.9236	.0764	.4236
0.94	.8264	.1736	.3264	1.44	.9251	.0749	.4251
0.95	.8289	.1711	.3289	1.45	.9265	.0735	.4265
0.96	.8315	.1685	.3315	1.46	.9279	.0721	.4279
0.97	.8340	.1660	.3340	1.47	.9292	.0708	.4292
0.98	.8365	.1635	.3365	1.48	.9306	.0694	.4306
0.99	.8389	.1611	.3389	1.49	.9319	.0681	.4319

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2018/2019
 COURSE NAME : STATISTICS FOR MANAGEMENT
 PROGRAMME CODE: BPB / BPC / BPP
 COURSE CODE : BPA 12303

(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z	(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z
1.50	.9332	.0668	.4332	2.00	.9772	.0228	.4772
1.51	.9345	.0655	.4345	2.01	.9778	.0222	.4778
1.52	.9357	.0643	.4357	2.02	.9783	.0217	.4783
1.53	.9370	.0630	.4370	2.03	.9788	.0212	.4788
1.54	.9382	.0618	.4382	2.04	.9793	.0207	.4793
1.55	.9394	.0606	.4394	2.05	.9798	.0202	.4798
1.56	.9406	.0594	.4406	2.06	.9803	.0197	.4803
1.57	.9418	.0582	.4418	2.07	.9808	.0192	.4808
1.58	.9429	.0571	.4429	2.08	.9812	.0188	.4812
1.59	.9441	.0559	.4441	2.09	.9817	.0183	.4817
1.60	.9452	.0548	.4452	2.10	.9821	.0179	.4821
1.61	.9463	.0537	.4463	2.11	.9826	.0174	.4826
1.62	.9474	.0526	.4474	2.12	.9830	.0170	.4830
1.63	.9484	.0516	.4484	2.13	.9834	.0166	.4834
1.64	.9495	.0505	.4495	2.14	.9838	.0162	.4838
1.65	.9505	.0495	.4505	2.15	.9842	.0158	.4842
1.66	.9515	.0485	.4515	2.16	.9846	.0154	.4846
1.67	.9525	.0475	.4525	2.17	.9850	.0150	.4850
1.68	.9535	.0465	.4535	2.18	.9854	.0146	.4854
1.69	.9545	.0455	.4545	2.19	.9857	.0143	.4857
1.70	.9554	.0446	.4554	2.20	.9861	.0139	.4861
1.71	.9564	.0436	.4564	2.21	.9864	.0136	.4864
1.72	.9573	.0427	.4573	2.22	.9868	.0132	.4868
1.73	.9582	.0418	.4582	2.23	.9871	.0129	.4871
1.74	.9591	.0409	.4591	2.24	.9875	.0125	.4875
1.75	.9599	.0401	.4599	2.25	.9878	.0122	.4878
1.76	.9608	.0392	.4608	2.26	.9881	.0119	.4881
1.77	.9616	.0384	.4616	2.27	.9884	.0116	.4884
1.78	.9625	.0375	.4625	2.28	.9887	.0113	.4887
1.79	.9633	.0367	.4633	2.29	.9890	.0110	.4890
1.80	.9641	.0359	.4641	2.30	.9893	.0107	.4893
1.81	.9649	.0351	.4649	2.31	.9896	.0104	.4896
1.82	.9656	.0344	.4656	2.32	.9898	.0102	.4898
1.83	.9664	.0336	.4664	2.33	.9901	.0099	.4901
1.84	.9671	.0329	.4671	2.34	.9904	.0096	.4904
1.85	.9678	.0322	.4678	2.35	.9906	.0094	.4906
1.86	.9686	.0314	.4686	2.36	.9909	.0091	.4909
1.87	.9693	.0307	.4693	2.37	.9911	.0089	.4911
1.88	.9699	.0301	.4699	2.38	.9913	.0087	.4913
1.89	.9706	.0294	.4706	2.39	.9916	.0084	.4916
1.90	.9713	.0287	.4713	2.40	.9918	.0082	.4918
1.91	.9719	.0281	.4719	2.41	.9920	.0080	.4920
1.92	.9726	.0274	.4726	2.42	.9922	.0078	.4922
1.93	.9732	.0268	.4732	2.43	.9925	.0075	.4925
1.94	.9738	.0262	.4738	2.44	.9927	.0073	.4927
1.95	.9744	.0256	.4744	2.45	.9929	.0071	.4929
1.96	.9750	.0250	.4750	2.46	.9931	.0069	.4931
1.97	.9756	.0244	.4756	2.47	.9932	.0068	.4932
1.98	.9761	.0239	.4761	2.48	.9934	.0066	.4934
1.99	.9767	.0233	.4767	2.49	.9936	.0064	.4936

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2018/2019
 COURSE NAME : STATISTICS FOR
 MANAGEMENT

PROGRAMME CODE: BPB / BPC / BPP
 COURSE CODE : BPA 12303

(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z	(A) z	(B) Proportion in Body	(C) Proportion in Tail	(D) Proportion Between Mean and z
2.50	.9938	.0062	.4938	2.95	.9984	.0016	.4984
2.51	.9940	.0060	.4940	2.96	.9985	.0015	.4985
2.52	.9941	.0059	.4941	2.97	.9985	.0015	.4985
2.53	.9943	.0057	.4943	2.98	.9986	.0014	.4986
2.54	.9945	.0055	.4945	2.99	.9986	.0014	.4986
2.55	.9946	.0054	.4946	3.00	.9987	.0013	.4987
2.56	.9948	.0052	.4948	3.01	.9987	.0013	.4987
2.57	.9949	.0051	.4949	3.02	.9987	.0013	.4987
2.58	.9951	.0049	.4951	3.03	.9988	.0012	.4988
2.59	.9952	.0048	.4952	3.04	.9988	.0012	.4988
2.60	.9953	.0047	.4953	3.05	.9989	.0011	.4989
2.61	.9955	.0045	.4955	3.06	.9989	.0011	.4989
2.62	.9956	.0044	.4956	3.07	.9989	.0011	.4989
2.63	.9957	.0043	.4957	3.08	.9990	.0010	.4990
2.64	.9959	.0041	.4959	3.09	.9990	.0010	.4990
2.65	.9960	.0040	.4960	3.10	.9990	.0010	.4990
2.66	.9961	.0039	.4961	3.11	.9991	.0009	.4991
2.67	.9962	.0038	.4962	3.12	.9991	.0009	.4991
2.68	.9963	.0037	.4963	3.13	.9991	.0009	.4991
2.69	.9964	.0036	.4964	3.14	.9992	.0008	.4992
2.70	.9965	.0035	.4965	3.15	.9992	.0008	.4992
2.71	.9966	.0034	.4966	3.16	.9992	.0008	.4992
2.72	.9967	.0033	.4967	3.17	.9992	.0008	.4992
2.73	.9968	.0032	.4968	3.18	.9993	.0007	.4993
2.74	.9969	.0031	.4969	3.19	.9993	.0007	.4993
2.75	.9970	.0030	.4970	3.20	.9993	.0007	.4993
2.76	.9971	.0029	.4971	3.21	.9993	.0007	.4993
2.77	.9972	.0028	.4972	3.22	.9994	.0006	.4994
2.78	.9973	.0027	.4973	3.23	.9994	.0006	.4994
2.79	.9974	.0026	.4974	3.24	.9994	.0006	.4994
2.80	.9974	.0026	.4974	3.30	.9995	.0005	.4995
2.81	.9975	.0025	.4975	3.40	.9997	.0003	.4997
2.82	.9976	.0024	.4976	3.50	.9998	.0002	.4998
2.83	.9977	.0023	.4977	3.60	.9998	.0002	.4998
2.84	.9977	.0023	.4977	3.70	.9999	.0001	.4999
2.85	.9978	.0022	.4978	3.80	.99993	.00007	.49993
2.86	.9979	.0021	.4979	3.90	.99995	.00005	.49995
2.87	.9979	.0021	.4979	4.00	.99997	.00003	.49997
2.88	.9980	.0020	.4980				
2.89	.9981	.0019	.4981				
2.90	.9981	.0019	.4981				
2.91	.9982	.0018	.4982				
2.92	.9982	.0018	.4982				
2.93	.9983	.0017	.4983				
2.94	.9984	.0016	.4984				

TERBUKA
CONFIDENTIAL