UTHM
Universiti Tun Hussein Onn Malaysia

UNIVERSITI TUN HUSSEIN ONN MALAYSIA

FINAL EXAMINATION
SEMESTER I
SESSION 2021/2022

COURSE NAME : CIVIL ENGINEERING STATISTIC

COURSE CODE : BFC 34303

PROGRAMME CODE : BFF

EXAMINATION DATE : JANUARY / FEBRUARY 2022

DURATION : 3 HOURS

INSTRUCTIONS : 1. ANSWER **ALL** QUESTIONS.

2. THIS FINAL EXAMINATION IS AN **ONLINE** ASSESSMENT AND CONDUCTED VIA **CLOSE BOOK**.

TERBUKA

THIS QUESTION PAPER CONSISTS OF **FIFTEEN (15)** PAGES

Q1 (a) A factory manufactured PVC pipes with a mean diameter of 3.4 cm, a standard deviation of 1.7 cm and normal distributed. If 72 of PVC pipes are randomly selected, what is the probability that the sample mean diameter of the pipes is less than 3.0 cm?

(5 marks)

(b) A civil engineer tested the compressive strength of 12 specimens of concrete and obtained the data as presented in **Table Q1(b)**. Construct a 95% confidence interval for the mean compressive strength of the tested concrete.

(5 marks)

(c) Due to the Covid-19 pandemic, the number of trips made by an individual seems to decrease during the pandemic. A researcher intends to investigate this issue in which he is particularly interested in determining whether the number of trips made before the Covid-19 is higher than during the Covid-19. A survey has been conducted in Kuala Lumpur and **Table Q1(c)** shows the data obtained from the survey. A total of 9 respondents before the Covid-19 and 8 respondents after the Covid-19 were taking part in the survey. At the 0.05 significance level, can we conclude that more trips have been made before the Covid-19 pandemic?.

(15 marks)

Q2 Palm oil fuel ash (POFA) is a pozzolanic material used as cement replacement in the concrete mix. When using 5% replacement of cement, POFA can be said that has the ability to increase the compressive strength of concrete. A researcher conducted a study to prove this claim. The results can be found in **Table Q2**. Assuming that the data is normally distributed, can it be concluded that 5% POFA significantly increases compressive strength at the 0.05 significance level?.

(25 marks)

Q3 A rheology test has been conducted on asphalt binder to investigate the relationship between test temperature and complex modulus. The results from the tests are shown in **Table Q3**.

(a) Determine a relationship between temperature and log G*.

(13 marks)

(b) Calculate and interpret R^2 in term of the model variables.

(6 marks)

(c) Estimate the failure temperature of the bitumen if the failure temperature is carried out from the temperature that complex modulus is 2.2 kPa.

(6 marks)

Q4 Four mixer trucks, A, B, C, D, are used to move concrete from the batching plant to the construction site. **Table Q4** shows the amount of fuel, in litres, used per meter cube of concrete moved for each truck. Test the hypothesis that the mean amount of fuel used per meter cube of concrete moved is the difference for each truck. Use the 5% level of significance.

(25 marks)

– END OF QUESTIONS –

Table Q1(b): Results of compressive strength of concrete (in Psi)

2590	2530	2510	2566	2541	2589
2557	2582	2550	2583	2599	2600

Table Q1(c): Number of trips (frequency) made by respondents per week before Covid-19 and during Covid-19

Before Covid-19	During Covid-19
7	5
12	7
20	12
30	24
10	10
12	18
8	7
9	5
10	

Table Q2: Compressive strength tests conducted on concrete with and without palm oil fuel ash (POFA) as cement replacement

Test	Compressive Strength of Concrete (N/mm^2)	
	Without POFA	With 5% POFA
1	32.5	30.9
2	42.7	42.3
3	44.0	48.5
4	28.5	38.7
5	30.8	42.6
6	39.6	37.0
7	41.8	47.6
8	40.2	43.6
9	35.4	48.9
10	32.1	52.3
11	33.0	34.2
12	39.6	33.9
13	46.2	48.0
14	41.7	35.9
15	36.6	40.4

Note: The results shown are for concrete cubes cured for 28 days

FINAL EXAMINATION

SEMESTER/SESSION : SEM I 2021/2022
COURSE NAME : CIVIL ENGINEERING STATISTIC
PROGRAMME CODE : BFF
COURSE CODE : BFC 34303

Table Q3: Complex modulus of the bitumen

Test temperature (°C)	Complex modulus, G* (kPa)	Log G*
46	52.2	1.72
52	24.52	1.39
58	10.99	1.04
64	5.32	0.73
70	2.55	0.41

Table Q4: Amount of fuel, in litres, used per meter cube of concrete for each truck

Truck A	Truck B	Truck C	Truck D
0.21	0.22	0.21	0.20
0.21	0.22	0.18	0.20
0.21	0.25	0.18	0.21
0.21	0.21	0.19	0.21
0.20	0.22	0.20	0.19
0.19	0.20	0.18	0.20
0.18	0.23	0.19	0.20

FINAL EXAMINATION

SEMESTER/SESSION : SEM I 2021/2022
COURSE NAME : CIVIL ENGINEERING STATISTIC
PROGRAMME CODE : BFF
COURSE CODE : BFC 34303

APPENDIX A: STATISTICAL FORMULAS

The following information may be useful. The symbols have their usual meaning.

Mean and Variance of Ungrouped Data

$$\bar{x} = \frac{\sum x}{n} \qquad s^2 = \frac{\sum (x - \bar{x})^2}{n - 1}$$

Mean and Variance of Grouped Data

$$\bar{x} = \frac{\sum fx}{\sum f} \qquad s^2 = \frac{\sum fx^2 - \frac{(\sum fx)^2}{\sum f}}{(\sum f) - 1}$$

Standard Normal Distribution z-value

$$z = \frac{X - \mu}{\sigma}$$

Central Limit Theorem

$$\mu_{\bar{X}} = \mu \qquad \sigma_{\bar{X}} = \frac{\sigma}{\sqrt{n}} \qquad z = \frac{\bar{X} - \mu}{\left(\frac{\sigma}{\sqrt{n}}\right)}$$

$$\mu = E(X) = \sum x.P(X) \qquad \sigma = Std(X) = \sqrt{E(X^2) - [E(X)]^2} \qquad E(X^2) = \sum x^2.P(X)$$

Difference Between Two Means

$$Z = \bar{X} - \bar{Y} \qquad \mu_{\bar{X}-\bar{Y}} = \mu_{\bar{X}} - \mu_{\bar{Y}} \qquad \sigma_{\bar{X}-\bar{Y}} = \sqrt{\frac{{\sigma_X}^2}{n} + \frac{{\sigma_Y}^2}{m}}$$

FINAL EXAMINATION

SEMESTER/SESSION : SEM I 2021/2022
COURSE NAME : CIVIL ENGINEERING STATISTIC
PROGRAMME CODE : BFF
COURSE CODE : BFC 34303

Confidence Interval

$$\bar{X} \pm z\frac{s}{\sqrt{n}} \qquad \bar{X} \pm t\frac{s}{\sqrt{n}} \qquad t = \frac{\bar{X}-\mu}{s/\sqrt{n}}$$

$$p \pm z\sqrt{\frac{p(1-p)}{n}} \qquad FPC = \sqrt{\frac{N-n}{N-1}} \qquad \bar{X} \pm z\frac{s}{\sqrt{n}}\sqrt{\frac{N-n}{N-1}}$$

$$(\mu_{\bar{X}} - \mu_{\bar{Y}}) \pm t_{\frac{\alpha}{2},df}\left(\sqrt{\frac{s_{\bar{X}}^2}{n}+\frac{s_{\bar{Y}}^2}{m}}\right) \qquad df = \frac{\left(\frac{s_{\bar{X}}^2}{n}+\frac{s_{\bar{Y}}^2}{m}\right)^2}{\frac{\left(\frac{s_{\bar{X}}^2}{n}\right)^2}{n-1}+\frac{\left(\frac{s_{\bar{Y}}^2}{m}\right)^2}{m-1}}$$

One-Sample Hypothesis Testing (z-Test and t-Test)

$$z = \frac{\bar{X}-\mu_o}{\sigma/\sqrt{n}} \qquad z = \frac{\bar{X}-\mu_o}{s/\sqrt{n}} \qquad t = \frac{\bar{X}-\mu_o}{s/\sqrt{n}}$$

Two-Sample Hypothesis Testing (z-Test and t-Test)

$$z = \frac{\bar{X}_X-\bar{X}_Y}{\sqrt{\frac{s_X^2}{n}+\frac{s_Y^2}{m}}} \qquad t = \frac{\bar{X}_X-\bar{X}_Y}{\sqrt{\frac{s_P^2}{n}+\frac{s_P^2}{m}}} \qquad s_P^2 = \frac{(n-1)s_X^2+(m-1)s_Y^2}{n+m-2}$$

Simple Linear Regression

$$Y = a + bX \qquad a = \frac{\sum Y}{n} - b\frac{\sum X}{n} \qquad e = Y - \hat{Y}$$

$$b = \frac{n(\sum XY) - (\sum X)(\sum Y)}{n(\sum X^2) - (\sum X)^2} \qquad r = \frac{n(\sum XY) - (\sum X)(\sum Y)}{\sqrt{[n(\sum X^2) - (\sum X)^2][n(\sum Y^2) - (\sum Y)^2]}}$$

$$s_{y.x} = \sqrt{\frac{\sum Y^2 - a(\sum Y) - b(\sum XY)}{n-2}}$$

FINAL EXAMINATION

SEMESTER/SESSION	:	SEM I 2021/2022	PROGRAMME CODE	:	BFF
COURSE NAME	:	CIVIL ENGINEERING STATISTIC	COURSE CODE	:	BFC 34303

F-Test

$$F = \frac{{s_1}^2}{{s_2}^2} \qquad v_1 = n_1 - 1 \qquad v_2 = n_2 - 1$$

One Way ANOVA Test

$$SS = \sum X^2 - \frac{(\sum X)^2}{n} \qquad SST = \sum\left(\frac{{T_c}^2}{n_c}\right) - \frac{(\sum X)^2}{n} \qquad SSE = SS - SST$$

$$MST = \frac{SST}{k-1} \qquad MSE = \frac{SSE}{n-k} \qquad F = \frac{MST}{MSE}$$

$$v_1 = k - 1 \qquad v_2 = n - k$$

Chi-Square Test

$$\chi^2 = \frac{(n-1)s^2}{\sigma^2} \qquad df = n - 1$$

Chi-Square Goodness of Fit Test

$$\chi^2 = \sum\left[\frac{(f_o - f_e)^2}{f_e}\right] \qquad df = k - 1$$

Chi-Square Contingency Table Analysis

$$\chi^2 = \sum\left[\frac{(f_o - f_e)^2}{f_e}\right] \qquad df = (r-1)(c-1)$$

Mann-Whitney Test

$$z = \frac{W - \frac{n_1(n_1 + n_2 + 1)}{2}}{\sqrt{\frac{n_1 n_2(n_1 + n_2 + 1)}{12}}}$$

Mann-Whitney U Test

$$U_1 = n_1 n_2 + \frac{n_1(n_1 + 1)}{2} - R_1 \qquad U_2 = n_1 n_2 + \frac{n_2(n_2 + 1)}{2} - R_2$$

FINAL EXAMINATION

SEMESTER/SESSION : SEM I 2021/2022
COURSE NAME : CIVIL ENGINEERING STATISTIC
PROGRAMME CODE : BFF
COURSE CODE : BFC 34303

APPENDIX B: STATISTICAL TABLES

I. Standard Normal Distribution (Right-Tail) showing P (Z > z)

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641
0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002

FINAL EXAMINATION

SEMESTER/SESSION : SEM I 2021/2022
COURSE NAME : CIVIL ENGINEERING STATISTIC
PROGRAMME CODE : BFF
COURSE CODE : BFC 34303

II. Standard Normal Distribution showing P (0 < Z < z)

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990
3.1	0.4990	0.4991	0.4991	0.4991	0.4992	0.4992	0.4992	0.4992	0.4993	0.4993
3.2	0.4993	0.4993	0.4994	0.4994	0.4994	0.4994	0.4994	0.4995	0.4995	0.4995
3.3	0.4995	0.4995	0.4995	0.4996	0.4996	0.4996	0.4996	0.4996	0.4996	0.4997
3.4	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4998

FINAL EXAMINATION

SEMESTER/SESSION : SEM I 2021/2022
COURSE NAME : CIVIL ENGINEERING STATISTIC
PROGRAMME CODE : BFF
COURSE CODE : BFC 34303

III. Critical Values of the Student's *t* distribution

df	**Level of significance for One-Tailed Test, α**						
	0.1	**0.05**	**0.025**	**0.01**	**0.005**	**0.001**	**0.0005**
	Level of significance for Two-Tailed Test, α						
	0.2	**0.1**	**0.05**	**0.02**	**0.01**	**0.002**	**0.001**
1	3.078	6.314	12.076	31.821	63.657	318.31	636.62
2	1.886	2.920	4.303	6.965	9.925	22.326	31.598
3	1.638	2.353	3.182	4.541	5.841	10.213	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.500	2.807	3.485	3.767
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	1.310	1.697	2.042	2.457	2.750	3.385	3.646

FINAL EXAMINATION

SEMESTER/SESSION	:	SEM I 2021/2022	PROGRAMME CODE	:	BFF
COURSE NAME	:	CIVIL ENGINEERING STATISTIC	COURSE CODE	:	BFC 34303

IV. Critical Values of the *F* distribution

	$\alpha = 0.05$									
v_2	v_1									
	1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54	241.88
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24

FINAL EXAMINATION

SEMESTER/SESSION	:	SEM I 2021/2022	PROGRAMME CODE	:	BFF
COURSE NAME	:	CIVIL ENGINEERING STATISTIC	COURSE CODE	:	BFC 34303

V. Critical Values of the Chi-square, χ^2 distribution

df	α					
	0.1	**0.05**	**0.025**	**0.01**	**0.005**	**0.001**
1	2.706	3.841	5.024	6.635	7.879	10.828
2	4.605	5.991	7.378	9.210	10.597	13.816
3	6.251	7.815	9.348	11.345	12.838	16.266
4	7.779	9.488	11.143	13.277	14.860	18.467
5	9.236	11.070	12.833	15.086	16.750	20.515
6	10.645	12.592	14.449	16.812	18.548	22.458
7	12.017	14.067	16.013	18.475	20.278	24.322
8	13.362	15.507	17.535	20.090	21.955	26.124
9	14.684	16.919	19.023	21.666	23.589	27.877
10	15.987	18.307	20.483	23.209	25.188	29.588
11	17.275	19.675	21.920	24.725	26.757	31.264
12	18.549	21.026	23.337	26.217	28.300	32.909
13	19.812	22.362	24.736	27.688	29.819	34.528
14	21.064	23.685	26.119	29.141	31.319	36.123
15	22.307	24.996	27.488	30.578	32.801	37.697
16	23.542	26.296	28.845	32.000	34.267	39.252
17	24.769	27.587	30.191	33.409	35.718	40.790
18	25.989	28.869	31.526	34.805	37.156	42.312
19	27.204	30.144	32.852	36.191	38.582	43.820
20	28.412	31.410	34.170	37.566	39.997	45.315
21	29.615	32.671	35.479	38.932	41.401	46.797
22	30.813	33.924	36.781	40.289	42.796	48.268
23	32.007	35.172	38.076	41.638	44.181	49.728
24	33.196	36.415	39.364	42.980	45.559	51.179
25	34.382	37.652	40.646	44.314	46.928	52.620
26	35.563	38.885	41.923	45.642	48.290	54.052
27	36.741	40.113	43.195	46.963	49.645	55.476
28	37.916	41.337	44.461	48.278	50.993	56.892
29	39.087	42.557	45.722	49.588	52.336	58.301
30	40.256	43.773	46.979	50.892	53.672	59.703

FINAL EXAMINATION

SEMESTER/SESSION : SEM I 2021/2022
COURSE NAME : CIVIL ENGINEERING STATISTIC
PROGRAMME CODE : BFF
COURSE CODE : BFC 34303

VI. Critical Values of the Mann-Whitney U (Two-tailed)

		n_1												
n_2	**α**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**
3	**0.05**	0	0	0	1	1	2	2	3	3	4	4	5	5
	0.01	0	0	0	0	0	0	0	0	0	1	1	1	2
4	**0.05**	0	0	1	2	3	4	4	5	6	7	8	9	10
	0.01	0	0	0	0	0	1	1	2	2	3	3	4	5
5	**0.05**	0	1	2	3	5	6	7	8	9	11	12	13	14
	0.01	0	0	0	1	1	2	3	4	5	6	7	7	8
6	**0.05**	1	2	3	5	6	8	10	11	13	14	16	17	19
	0.01	0	0	1	2	3	4	5	6	7	9	10	11	12
7	**0.05**	1	3	5	6	8	10	12	14	16	18	20	22	24
	0.01	0	0	1	3	4	6	7	9	10	12	13	15	16
8	**0.05**	2	4	6	8	10	13	15	17	19	22	24	26	29
	0.01	0	1	2	4	6	7	9	11	13	15	17	18	20
9	**0.05**	2	4	7	10	12	15	17	20	23	26	28	31	34
	0.01	0	1	3	5	7	9	11	13	16	18	20	22	24
10	**0.05**	3	5	8	11	14	17	20	23	26	29	33	36	39
	0.01	0	2	4	6	9	11	13	16	18	21	24	26	29
11	**0.05**	3	6	9	13	16	19	23	26	30	33	37	40	44
	0.01	0	2	5	7	10	13	16	18	21	24	27	30	33
12	**0.05**	4	7	11	14	18	22	26	29	33	37	41	45	49
	0.01	1	3	6	9	12	15	18	21	24	27	31	24	37
13	**0.05**	4	8	12	16	20	24	28	33	37	41	45	50	54
	0.01	1	3	7	10	13	17	20	24	27	31	34	38	42
14	**0.05**	5	9	13	17	22	26	31	36	40	45	50	55	59
	0.01	1	4	7	11	15	18	22	26	30	34	38	42	46
15	**0.05**	5	10	14	19	24	29	34	39	44	49	54	59	64
	0.01	2	5	8	12	16	20	24	29	33	37	42	46	51

FINAL EXAMINATION

SEMESTER/SESSION	:	SEM I 2021/2022	PROGRAMME CODE	:	BFF
COURSE NAME	:	CIVIL ENGINEERING STATISTIC	COURSE CODE	:	BFC 34303

VII. Critical Values of the Mann-Whitney U (One-tailed)

		n_1												
n_2	**α**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**
3	**0.05**	0	0	1	2	2	3	4	4	5	5	6	7	7
	0.01	0	0	0	0	0	0	1	1	1	2	2	2	3
4	**0.05**	0	1	2	3	4	5	6	7	8	9	10	11	12
	0.01	0	0	0	1	1	2	3	3	4	5	5	6	7
5	**0.05**	1	2	4	5	6	8	9	11	12	13	15	16	18
	0.01	0	0	1	2	3	4	5	6	7	8	9	10	11
6	**0.05**	2	3	5	7	8	10	12	14	16	17	18	21	23
	0.01	0	1	2	3	4	6	7	8	9	11	12	13	15
7	**0.05**	2	4	6	8	11	13	15	17	19	21	24	26	28
	0.01	0	1	3	4	6	7	9	11	12	14	16	17	19
8	**0.05**	3	5	8	10	13	15	18	20	23	26	28	31	33
	0.01	0	2	4	6	7	9	11	13	15	17	20	22	24
9	**0.05**	4	6	9	12	15	18	21	24	27	30	33	36	39
	0.01	1	3	5	7	9	11	14	16	18	21	23	26	28
10	**0.05**	4	7	11	14	17	20	24	27	31	34	37	41	44
	0.01	1	3	6	8	11	13	16	19	22	24	27	30	33
11	**0.05**	5	8	12	16	19	23	27	31	34	38	42	46	50
	0.01	1	4	7	9	12	15	18	22	25	28	31	34	37
12	**0.05**	5	9	13	17	21	26	30	34	38	42	47	51	55
	0.01	2	5	8	11	14	17	21	24	28	31	35	38	42
13	**0.05**	6	10	15	19	24	28	33	37	42	47	51	56	61
	0.01	2	5	9	12	16	20	23	27	31	35	39	43	47
14	**0.05**	7	11	16	21	26	31	36	41	46	51	56	61	66
	0.01	2	6	10	13	17	22	26	30	34	38	43	47	51
15	**0.05**	7	12	18	23	28	33	39	44	50	55	61	66	72
	0.01	3	7	11	15	19	24	28	33	37	42	47	51	56