

CONFIDENTIAL



UNIVERSITI TUN HUSSEIN ONN MALAYSIA

**FINAL EXAMINATION
SEMESTER I
SESSION 2016/2017**

COURSE NAME : GROUNDWATER TECHNOLOGY
COURSE CODE : BNA40803
PROGRAMME CODE : BNA
EXAMINATION DATE : DECEMBER 2016 / JANUARY 2017
DURATION : 3 HOURS
INSTRUCTION : **SECTION A : ANSWER ALL
QUESTIONS
SECTION B : ANSWER FOUR (4)
QUESTIONS ONLY**

TERBUKA

THIS QUESTION PAPER CONSISTS OF SEVEN (7) PAGES

CONFIDENTIAL

SECTION A

- Q1**
- (a) Describe own your words according to statement “*Surface water and groundwater systems are connected in most landscapes*”.
(5 marks)
 - (b) Find out **THREE (3)** characteristics of groundwater and surface water interacts according to surface water bodies, water movement and quantity effects.
(6 marks)
 - (c) Determine the factors of groundwater interacts for two wells system was built on sandy clay layer (40m deep) using indirect recharge method at as shown in **Table Q1(c)**.
(9 marks)

TERBUKA

SECTION B

- Q2** (a) Define the terms as follows:
 (i) Groundwater hydrology
 (ii) Aquifer
 (3 marks)
- (b) Explain in your own words the principles of groundwater flow based on force potential and hydraulic head.
 (4 marks)
- (c) Give an example of each main factor as follows the ability the ground condition to hold water:
 (i) porosity
 (ii) permeability
 (6 marks)
- (d) Differentiate **FOUR (4)** aquifer characteristics according to confined and unconfined aquifer.
 (7 marks)
- Q3** (a) Define the terms as follows:
 (i) Horizontal hydraulic gradient
 (ii) Pressure head
 (4 marks)
- (b) Formulate **TWO (2)** ways of hydraulic head can be measured.
 (4 marks)
- (c) By referring to **Figure Q3(c)**, formulate the equivalent permeability for flow perpendicular to the horizontal layers.
 (5 marks)
- (d) A field sample of an unconfined aquifer is packed in a test cylinder. The length and the diameter of the cylinder are 50 cm and 6 cm, respectively. The field sample is tested for a period of 3 min under a constant head difference of 16.3 cm. As a result, 45.2 cm³ of water is collected at the outlet. Determine the hydraulic conductivity of the aquifer sample and identify the type of soil classification as shown in **Table Q3(d)**.
 (7 marks)

TERBUKA

KEMENTERIAN KEKAWAJAN MALAYSIA
 DEPARTMENT OF SCIENCE, TECHNOLOGY AND INNOVATION
 INSTITUT TEKNOLOGI MALAYSIA
 41060 SEREMBAN, NEGERI SEMBILAN
 TEL: 603-8931 5000 FAX: 603-8931 5001
 E-MAIL: info@iit.malaysia.gov.my

- Q4**
- (a) Give a simple method to find water underground. (2 marks)
 - (b) Show with aided sketch the head of:
 - (i) Well A from mean sea level
 - (ii) Elevation of bottom well (point A)(4 marks)
 - (c) Briefly explain the reason why the pH value measurement must be monitored for groundwater quality. (6 marks)
 - (d) Explain the relationship between water levels in wells and groundwater quality and quantity for situation as follows:
 - (i) unconfined (water-table) aquifers
 - (ii) confined aquifers(8 marks)
- Q5**
- (a) List **THREE (3)** apparatus normally used for pumping test. (3 marks)
 - (b) Identify **FOUR (4)** purposes of test pumping water well. (4 marks)
 - (c) A step test was carried out four 2h steps. The **Table Q5(c)** shows data were obtained for yield (Q) and corresponding drawdown (s_w) in the pumping well. Determine:
 - (i) Value of losses
 - (ii) Percent of well efficiency drops(13 marks)

TERBUKA

FINAL EXAMINATION

SEMESTER/SESSION : SEM I /2016/2017

PROGRAMME CODE : BNA

COURSE NAME : GROUNDWATER TECHNOLOGY

COURSE CODE : BNA 40803

TABLES

Table Q1(c): Discharge and recharge records

Well	Discharge (m^3/d)	Recharge(m^3/d)	Recharge (%)
W1	40	7.43	19
W2	100	12.1	12

Table Q3(d): Hydraulic conductivity values

Material	K (cm/sec)
Gravel	10^{-1} to 100
Clean sand	10^{-4} to 1
Silty sand	10^{-5} to 10^{-1}
Silt	10^{-7} to 10^{-3}
Glacial till	10^{-10} to 10^{-4}
Clay	10^{-10} to 10^{-6}

Table Q5(c): Pumping test

Step	Q (l/s)	s_w (m)	Q/ s_w (m^2/day)
Rest	0	0	0
1	14.7	1.43	888
2	31.5	3.46	787
3	44.4	5.41	709
4	57.6	8.90	559



FINAL EXAMINATION

SEMESTER/SESSION : SEM I /2016/2017

PROGRAMME CODE : BNA

COURSE NAME : GROUNDWATER TECHNOLOGY

COURSE CODE : BNA 40803

FIGURE




FIGURE Q3(c): Horizontal layer of flows

EQUATIONS

$$A = \frac{\pi D^2}{4}$$

$$Q_s = -K_s \frac{dh}{ds} A$$

$$d = \frac{L}{2} - \frac{K}{W} \frac{(h_1^2 - h_2^2)}{2L}$$

$$h_{\max}^2 = h_1^2 - \frac{(h_1^2 - h_2^2)d}{L} + \frac{W}{K}(L-d)d$$

$$V_a = \frac{K \Delta h}{n_e \Delta x}$$

$$t = \frac{L_A}{V_A}$$

$$K_{eq} = \frac{\sum H}{\sum \frac{H}{K}}$$

TERBUKA